

## Industrial Hivision Scheduler - Save Device Configurations

John M - 2019-12-23 - Industrial HiVision

This guide is designed to walk through the steps to configure Hirschmann Industrial HiVision to enable the scheduled remote backup of Configurations of the Hirschmann devices in a project.

1. Once Hivision is running go to the Device tab and highlight the devices that need the configurations saved, right click on one of the highlighted devices and select Save Device Configuration.

File Edit View Configuration Tools Help

Back

Forward

Logout

Home View

Undo

Find

Edit Mode

Properties

WWW

Scan Network

HiDiscovery Scan

Preferences

Events: 

0

0

0

123

Most Severe Recently: 2019-03-19 14:19:32 192.168.0.64Module 2(Port 2.3...) Status Improvement: OK (PoE Class 0 Detection-Nb)

VLAN: All

Map

List

Devices

Ports

Connections

Properties

Security Status

PoE

Network

New Devices



Used Devices


Rogue Devices

Device Class: All


Type	Status	Name	IP Address	MAC Address	Product	Chassis	Serial No.	System Name	Location	Contact	Firmware Version	Chassis Name	Configuration Sig.	PSM up to ...
		192.168.0.2	192.168.0.2	EC-E5:55:46:58:83	EAGLE 2070	EAGLE 20-04009...	94205899900030	EAGLE-6CE55568...	Hirschmann EAGLE	Hirschmann Auto...	HSec09-03.0.00		339454380C3E38...	
		192.168.0.9	192.168.0.9		Ping Device									
		192.168.0.11	192.168.0.11		Ping Device									
		192.168.0.75	192.168.0.75	EC-74:8A:26:5C:A4:8C	RSP-37-340407	RSP-37-340407	94208499901070	RSP-EC74A055	Hirschmann RSP	Hirschmann Auto...	H205-35-07.0.04	FX0ED37AA67		
		192.168.0.76	192.168.0.76	EC-E5:55:FF:ED:08	BAT-#		94207099904150	BAT-#_master	www.hirschmann...					
		192.168.0.77	192.168.0.77	EC-E5:55:FF:D1:4B	BAT-#		94207099900000	BAT-#_WALLMAS	www.hirschmann...					
		192.168.0.78	192.168.0.78	EC-E5:55:FF:D2:5D	BAT-#		94207099903940	BAT-#_R	www.hirschmann...					
		192.168.0.160	192.168.0.160	EC-E5:55:36:70:88	RSD-1600M2		94343405525580	Row 11H	Hirschmann Rals...	Hirschmann Auto...	1.2E-09.0.07	16 88 4d 4d		
		192.168.1.1	192.168.1.1		Ping Device									
		192.168.1.80	192.168.1.80	D8-8B:63:48:86:FF	RSD-1600M2		94343405525580	Office switch	Home office	Hirschmann Auto...	1.2E-09.0.07	7a 09 3b 8c		
		192.168.1.67	192.168.1.67	24FD:31:22:58:29	BAT-#		94207099900000	BAT-#_742 30X	www.hirschmann...					

2. Browse to the location the configurations need to be saved to, set the start time (making sure to leave enough time to finish the schedule before it starts), and frequency the configurations need to be saved. Then make sure all of the other settings are selected properly and click OK.





5. To verify the tasks have been completed click on the results tab.



6. Finally verify the configurations have been saved to the correct location.

